

# 2023 Security and Mail Processing Products



**Office and High Security Paper Shredders**



**Industrial Shredders and Shredder Balers**



**HDD, SSD & Multimedia Shredders / Destroyers**



**Mail Processing Systems Letter Folder / Inserters**

# OUR LINES OF BUSINESS AND KEY SECTORS



## INFORMATION SECURITY

Paper shredding and media destruction solutions trusted by corporations and security agencies around the world.



## BUSINESS INFORMATION SOLUTIONS

Tools for effective digital and paper document processing, that help improve communication capacity and efficiency.



**BANKS**



**GOVERNMENT**




**LABORATORIES**



**HOSPITALS**



**LARGE ENTERPRISES**



**MANAGEMENT FIRMS**



**TRANSPORT**



**RECYCLERS**



**EDUCATION**



**SMES**



## PRODUCTS

Pharmacy Shredder .....	3
Paper Shredders .....	4-9
Cardboard Shredder .....	9
Industrial Shredders .....	10-11
Multimedia Crushers and Shredders .....	12
Magnetic Media Degaussers .....	13
Folders/Inserters .....	14-15

# New Product - Pharmacy Shredder



## intimus 85 RX Pharmacy Shredder

**HIPAA** requires that covered entities like pharmacies and health facilities apply appropriate safeguards to protect the privacy of Protected Health Information (PHI), in any form. The 85 RX multipurpose shredder is the best way for pharmacies, nursing homes, medical practices and other medical facilities to ensure HIPAA Compliance. And because the 85 RX is an in-house solution, the risk of data or identity theft from outsourcing destruction to a third party is eliminated.

A commercial grade, continuous-duty, easy-to-use shredder, the 85 RX has dual feed openings to handle paper, prescription pill bottles, and a wide range of other items that contain sensitive patient information. Attractive styling and quiet operation allow it to be used in any environment. Its compact size fits under pharmacy counters making it easily accessible, without taking up valuable floor space.

A built-in automatic oiler keeps the cutting head lubricated and helps to clear residue from adhesive labels and sticky liquids like cough syrup.

- Dual feed slots for paper and plastic pill bottles/bulky items
- Destroys items to a final particle size of only 3.6 x 43 mm
- Accepts pill bottles up to 16 oz. - including caps
- Destroy up to 200 bottles per hour
- Auto reverse for easy clearing of jams
- i-Control smart switch with auto start/stop
- Quiet operation will not interfere with patient consultations
- Sealed dust-free durable wooden cabinet
- Mounted on rollers for easy relocation

### Acceptable Items:

- Prescription Bottles - Wet or Dry
- Flat or Crumpled Paper
- Cardboard
- Adhesive Label Stock
- Acetate Sheets / X-Rays
- Foil Laminated Documents
- Multimedia
- ID Badges / Key Cards/ Credit Cards
- Passports
- CDs/DVDs



Model	Cutting size (in)	Cutting type	No. of sheets (A4) 70 g/m <sup>2</sup> 180 g/m <sup>2</sup>	Security level DIN 66399 (ISO/IEC 21964)	Bottle capacity (bottles/pass)	Bin volume	Motor power (hp)	Ref. no.
intimus 85 RX	0.14 x 1.7	Particles	33 30	P-4/O-3/T-4	up to 5*	18 gal	2.5	333104

\*depending on bottle size

# Paper Shredders



Packed with performance and convenience features for ease-of-use and long trouble-free service life

## i-control®

### Seamless data protection.

intimus® shredders are controlled by the i-Control® system, for comprehensive visual status information for maximum clarity.

## EcoLogic

### Maximum energy efficiency at all times.

The “EcoLogic” energy management system. The devices stay in “sleep mode” after they have been idle for a while, thereby reducing energy consumption to zero.

## DLS

### Trouble-free long-term use.

The Dynamic Load Sensor (DLS) system detects the paper volume while feeding and protects against possible overloads and jams, to extend the machine life.

## Silentec®

### Shredders have never been so silent.

intimus® shredders feature Silentec®, a completely new cutting head bearing design delivering maximum vibration absorption during shredding.

## 2x2

### Respect for the environment.

The 2x2 cutting and collection system consisting of a paper container and a compact disk container stores the different types of shredded material separately. Eco-friendly elimination.

## SolidCut

### Long useful life.


SolidCut offers significant advantages in cutting strength, precision and shredder life. Our sophisticated manufacturing process incorporates CNC machined cylinders for greater steel hardness as well as heat treating to guarantee longer life cycle of the cutting cylinders. Even after years of use, intimus® shredders still deliver excellent results.

## C-Drive

### Maximum performance: our shredders.


intimus® uses C-Drive motor design: consistent performance, constant speed, compact design and quiet operation. Capacitor motors to deliver a constant rotational speed and increased performance throughout their service life.

intimus provides shredders with security levels all the way up to NSA Evaluated and Listed.




**Level P1 - P2**  
(Strip cut)

Internal data  
Preprints  
Reports  
Forms  
Notes, etc.



**Level P3 - P4**  
(Particle cut)

Invoices  
Financial documents  
Customer data  
Curriculums  
Payroll data, etc.



**Level P5 - P7**  
(Micro cut)

Medical reports  
Highly confidential documents  
Projects  
Designs  
R&D documents, etc.

## intimus 45 & intimus 60

Compact shredders for small office or department use. The 45 and 60 series are available with waste particle sizes from from 0.15 x 1.2 in. down to 0.03 x 0.2 in. (Level P-7). They feature Automatic start / stop and i-control panel with clear and intuitive visual indicators for ease of operation. A Dynamic Load Sensor (DLS) monitors feeding levels to protect against overload. Automatic reverse function clears jams due to over feeding. 45 and 60 series machines accommodate staples, paper clips, credit cards & CDs. The intimus 2 X 2 dual collection system keeps paper waste separate from CD waste for easier recycling. Removable paper bin with bin full indicator. Exclusive Silentec system ensures quiet operation, < 55 db. EcoLogic energy saving system with automatic shutdown after 15 minutes of idle time. Attractive wooden cabinet is mounted on caster for easy relocation. Feed opening: 9.25 in. Shredding speed: 2.75 in/sec. Cutting blade warranty: 30 years (1 year for P7).

**Model intimus 45 / 60 CP7 is available with automatic oiler (AO).**

Dimensions (W x D x H): 45 Series 18 x 16 x 26 in - 60 Series : 18 x 16 x 30 in  
Weight: 70 lbs (45) / 79 lbs (60)



Model	Cutting size (in)	Cutting type	No. of sheets (A4)		Security level	Also shreds	Bin volume	Motor power (hp)	Ref. no.
			70 g/m <sup>2</sup>	80 g/m <sup>2</sup>	DIN 66399 (ISO/IEC 21964)				
intimus 45 CP4	0.15 x 1.2	Particles	15	13	P-4/F-1/O-1/T-2		12 gal	.75	278154
intimus 45 CP5	0.08 x 0.6	Particles	11	10	P-5/F-2/O-1/T-2		12 gal	.75	278174
intimus 45 CP7	0.03 x 0.2	Particles	6	5	P-7/F-3		12 gal	1	278294
intimus 45 CP7 AO	0.03 x 0.2	Particles	6	5	P-7/F-3		12 gal	1	278894
intimus 60 CP4	0.15 x 1.2	Particles	15	13	P-4/F-1/O-1/T-2		16 gal	.75	279154
intimus 60 CP5	0.08 x 0.6	Particles	11	10	P-5/F-2/O-1/T-2		16 gal	.75	279174
intimus 60 CP7	0.03 x 0.2	Particles	6	5	P-7/F-3		16 gal	1	279294
intimus 60 CP7 AO	0.03 x 0.2	Particles	6	5	P-7/F-3		16 gal	1	279894

## intimus 100

Medium volume for office use. Automatic start / stop via photoelectric sensor. Automatic reverse function for easy resolution of jams caused by paper overload. Can accommodate staples, clips and credit cards. Full bin, jam and door open indicator lights. Removable paper container. Exclusive design with wooden cabinet and casters. Low noise level (56 db). Feed opening: 10.25 in. Shredding speed: 5.5 in/sec. Cutting blade warranty: 30 years (1 years for level P6 and P7 models).

Dimensions (W x D x H): 20 x 18 x 36 in  
Weight: 95 lbs



Model	Cutting size (in)	Cutting type	No. of sheets (A4)		Security level	Also shreds	Bin volume	Motor power (hp)	Ref. no.
			70 g/m <sup>2</sup>	80 g/m <sup>2</sup>	DIN 66399 (ISO/IEC 21964)				
intimus 100 CP4	0.15 x 1.4	Particles	20	17	P-4/F-1/T-4		26 gal	1.5	224154
intimus 100 CP5	0.08 x 0.6	Particles	15	13	P-5/F-2		26 gal	1.5	224174
intimus 100 CP6	0.03 x 0.5	Particles	10	9	P-6/F-3 / T-6		26 gal	1.5	224184
intimus 100 CP7	0.03 x 0.2	Particles	6	5	P-7/F-3		26 gal	2	224194

# Shredders

## intimus 120

Professional shredder for office use. i-control control panel with clear and intuitive visual indicators for using the device. Automatic start / stop via photoelectric sensor. Easy visualisation of the paper load level by means of the DLS device with clear indicator lights. Automatic reverse function for easy resolution of jams caused by paper overload. Can manage staples, clips, credit cards and CDs. 2 X 2 collection system consisting of a paper container and a compact disk container stores the different types of shredded material separately for eco-friendly elimination. Full bin indicator. Removable paper container. Exclusive design with wooden cabinet and casters. Low noise level (57 db) via Silentec system. Working width: 12.25 in. Shredding speed: 5.5 in/sec. EcoLogic energy saving system with automatic shutdown after 15 minutes of idle time. Cutting blade warranty: 30 years (1 year for level P6 and P7 models).



Dimensions (W x D x H): 22 x 16 x 39 in  
Weight: 104 lbs



Model	Cutting size (in)	Cutting type	No. of sheets (A4)		Security level	Also shreds	Bin volume	Motor power (hp)	Ref. no.
			70 g/m <sup>2</sup>	80 g/m <sup>2</sup>	DIN 66399 (ISO/IEC 21964)				
intimus 120 CP4	0.15 x 1.4	Particles	25	23	P-4/F-1/O-1/T-2		32 gal	1.9	227154
intimus 120 CP5	0.08 x 0.6	Particles	17	15	P-5/F-2/O-1/T-2		32 gal	1.9	227174
intimus 120 CP6	0.03 x 0.5	Particles	12	10	P-6/F-3/T-6		32 gal	1.9	227284
intimus 120 CP7	0.03 x 0.2	Particles	8	7	P-7/F-3		32 gal	1.9	227294
intimus 120 CP4 AO	0.15 x 1.4	Particles	25	23	P-4/F-1/O-1/T-2		32 gal	1.9	227724
intimus 120 CP5 AO	0.08 x 0.6	Particles	17	15	P-5/F-2/O-1/T-2		32 gal	1.9	227734
intimus 120 CP6 AO	0.03 x 0.5	Particles	12	10	P-6/F-3/T-6		32 gal	1.9	227804
intimus 120 CP7 AO	0.03 x 0.2	Particles	8	7	P-7/F-3		32 gal	1.9	227814

## intimus 130 & intimus 602 SF

Professional shredder for office use. i-control control panel with clear and intuitive visual indicators for using the device. Automatic start / stop via photoelectric sensor. Easy visualisation of the paper load level by means of the DLS device with clear indicator lights. EcoLogic energy saving system with automatic shutdown after 5 minutes of idle time. Automatic reverse function for easy resolution of jams caused by paper overload. Can manage staples, clips and credit cards. High-capacity hardened cardboard waste container. Full bin indicator. Removable paper container. Exclusive design with wooden cabinet and casters. Low noise level (< 55 db) via Silentec system. Working width: 16 in. Shredding speed: 5.5 in/sec. Cutting blade warranty: 30 years. (1 year for intimus 602 SF).



Dimensions (W x D x H): 26 x 17 x 40 in  
Weight: 132 lbs



Model	Cutting size (in)	Cutting type	No. of sheets (A4)		Security level	Also shreds	Bin volume	Motor power (hp)	Ref. no.
			70 g/m <sup>2</sup>	80 g/m <sup>2</sup>	DIN 66399 (ISO/IEC 21964)				
intimus 130 CP4	0.15 x 1.4	Particles	22	19	P-4/F-1/T-4		34 gal	1.5	225154
intimus 130 CP5	0.08 x 0.6	Particles	16	13	P-5/F-2/T-5		34 gal	1.5	225174
intimus 602 SF	0.03 x 0.2	Particles	7	5	P-7/F-3		34 gal	2	671154
intimus 602 SF (AO)	0.03 x 0.2	Particles	7	5	P-7/F-3		34 gal	2	671254

## intimus 175

Professional shredder for office use. i-control control panel with clear and intuitive visual indicators for using the device. Automatic start / stop via photoelectric sensor. Easy visualisation of the paper load level by means of the DLS device with clear indicator lights. EcoLogic energy saving system with automatic shutdown after 5 minutes of idle time. Automatic reverse function for easy resolution of jams caused by paper overload. Can manage staples, clips and credit cards. High-capacity hardened cardboard waste container. Full bin indicator. Removable paper container. Exclusive design with wooden cabinet and casters. Low noise level (< 55 db) via Silentec system. Working width: 16 in. Shredding speed: 4.7 - 9 in/sec. Cutting blade warranty: 30 years (1 year for P6 & P7).

**Model intimus 175 is available with automatic oiler (AO).**

Dimensions (W x D x H): 26 x 22 x 41 in  
Weight: 198 lbs



Model	Cutting size (in)	Cutting type	No. of sheets (A4)		Security level	Also shreds	Bin volume	Motor power (hp)	Ref. no.
			70 g/m <sup>2</sup>	80 g/m <sup>2</sup>	DIN 66399 (ISO/IEC 21964)				
intimus 175 CP4	0.16 x 1.6	Particles	50	43	P-4/F-1/T-4		46 gal	2.5	297134
intimus 175 CP5	0.08 x 0.6	Particles	30	26	P-5/F-2/T-5		46 gal	2.5	297144
intimus 175 CP6	0.03 x 0.5	Particles	17	15	P-6/F-3		46 gal	2.5	297154
intimus 175 CP7	0.03 x 0.2	Particles	11	9	P-7/F-3		46 gal	2.5	297164
intimus 175 CP4 AO	0.16 x 1.4	Particles	50	43	P-4/F-1/T-4		46 gal	2.5	297234
intimus 175 CP5 AO	0.08 x 0.6	Particles	30	26	P-5/F-2/T-5		46 gal	2.5	297244
intimus 175 CP6 AO	0.03 x 0.5	Particles	17	15	P-6/F-3		46 gal	2.5	297254
intimus 175 CP7 AO	0.03 x 0.2	Particles	11	9	P-7/F-3		46 gal	2.5	297291

## intimus 175 hybrid Auto Oil

High-security, professional shredder for office use. i-control panel with clear and intuitive visual indicators for using the device. Automatic start/stop via photoelectric sensor. Easy visualisation of the paper load level by means of the DLS device with clear indicator lights. EcoLogic energy saving system with automatic shutdown after 15 minutes of idle time. Automatic reverse function for easy resolution of jams caused by paper overload. Can manage credit cards and CDs. 2 X 2 collection system consisting of double high-capacity hardened cardboard waste container for paper and CDs for eco-friendly elimination of waste. Full bin indicator. Removable paper container. Exclusive design with wooden cabinet and casters. Low noise level (< 55 db) via Silentec system. Working width: 10.4 in (paper) & 5 in (CDs). Shredding speed: 9 in/sec. **Automatic oiling system.** Cutting blade warranty: 1 year.

Dimensions (W x D x H): 26 x 22 x 41 in  
Weight: 198 lbs



Model	Cutting size (in)	Cutting type	No. of sheets (A4)		Security level	Also shreds	Bin volume	Motor power (hp)	Ref. no.
			70 g/m <sup>2</sup>	80 g/m <sup>2</sup>	DIN 66399 (ISO/IEC 21964)				
intimus 175 hybrid	0.03 x 0.2	Particles	10	9	P-7/O-6		46 gal	2.5	297764

## intimus 205

Professional shredder for office use. i-control control panel with clear and intuitive visual indicators for using the device. Automatic start / stop via photoelectric sensor. Easy visualisation of the paper load level by means of the DLS device with clear indicator lights. EcoLogic energy saving system with automatic shutdown after 15 minutes of idle time. Automatic reverse function for easy resolution of jams caused by paper overload. Can manage staples, clips and credit cards. High-capacity hardened cardboard waste container. Full bin indicator. Removable paper container. Exclusive design with wooden cabinet and casters. Low noise level (< 55 db) via Silentec system. Working width: 16 in. Shredding speed: 3.9 - 9 in/sec. Cutting blade warranty: 30 years (1 year for P6 & P7).

**Model intimus 205 is available with automatic oiler (AO).**

Dimensions (W x D x H): 26 x 22 x 46 in  
Weight: 205 lbs



Model	Cutting size (in)	Cutting type	No. of sheets (A4) 70 g/m <sup>2</sup> 80 g/m <sup>2</sup>		Security level DIN 66399 (ISO/IEC 21964)	Also shreds	Bin volume	Motor power (hp)	Ref. no.
intimus 205 CP4	0.16 x 1.6	Particles	50	43	P-4/F-1/T-4		54 gal	2.5	297334
intimus 205 CP5	0.08 x 0.6	Particles	30	26	P-5/F-2/T-5		54 gal	2.5	297344
intimus 205 CP6	0.03 x 0.5	Particles	17	15	P-6/F-3		54 gal	2.5	297354
intimus 205 CP7	0.03 x 0.2	Particles	11	9	P-7/F-3		54 gal	2.5	297364
intimus 205 CP4 AO	0.16 x 1.6	Particles	50	43	P-4/F-1/T-4		54 gal	2.5	297434
intimus 205 CP5 AO	0.08 x 0.6	Particles	30	26	P-5/F-2/T-5		54 gal	2.5	297444
intimus 205 CP6 AO	0.03 x 0.5	Particles	17	15	P-6/F-3		54 gal	2.5	297454
intimus 205 CP7 AO	0.03 x 0.2	Particles	11	9	P-7/F-3		54 gal	2.5	297491

## intimus 200 CP5

Heavy-duty shredder for office use. Automatic ON/OFF of the device via a photoelectric sensor. Control panel with clear and intuitive touch-sensitive visual indicators for using the device. Automatic roll-back control in case of paper overload. Can manage staples, clips and credit cards. Full bin indicator. Exclusive design with metal cabinet and casters. Low noise level (75 db). Working width: 17 in (Horizontal A4 feed). Paper holder. Shredding speed: 12 in/sec. Cutting blade warranty: 3 years.

Dimensions (W x D x H): 30 x 22 x 50 in  
Weight: 408 lbs



Model	Cutting size (in)	Cutting type	No. of sheets (A4) 70 g/m <sup>2</sup> 80 g/m <sup>2</sup>		Security level DIN 66399 (ISO/IEC 21964)	Also shreds	Bin volume	Motor power (hp)	Ref. no.
intimus 200 CP5 AO	0.08 x 0.6	Particles	40	38	P-5/F-2		53 gal	3	648204



## intimus H200 CP4 / VS

Heavy-duty shredder for office use with upper hopper. Automatic ON/OFF of the device via a photoelectric sensor. Control panel with clear and intuitive touch-sensitive visual indicators for using the device. Automatic roll-back control in case of paper overload. Can manage staples, clips and credit cards. Full bin indicator. Exclusive design with metal cabinet and castors. Low noise level (56/48-69 db). Working width: 17 in (Horizontal A4 feed). Paper holder. Shredding speed: 9 in/sec. (Mod. CP) & 14 in/sec. (Mod. VS). Cutting blade warranty: 3 years.

Dimensions (W x D x H): 30 x 22 x 71 in  
Weight: 443 lbs



Model	Cutting size (in)	Cutting type	No. of sheets (A4)		Security level	Also shreds	Bin volume	Motor power (hp)	Ref. no.
			70 g/m <sup>2</sup>	80 g/m <sup>2</sup>	DIN 66399 (ISO/IEC 21964)				
intimus H200 CP4 AO	0.15 x 1.6	Particles	80	75	P-4/F-1/O-3/T-4		53 gal	3	649204
intimus H200 CP4 VS	0.15 x 1.6	Particles	70	65	P-4/F-1/O-3/T-4		53 gal	3.9	685207

## intimus PacMaster

Cardboard shredder for making useful and durable packaging material. Easy amortization for centers that frequently receive and send parcels. Simple, reliable and robust metal construction for intensive use in the packaging warehouse. ON/OFF safety switch / emergency stop button. Guide rail on the work surface to ensure precise cutting of the cardboard and to adapt the padded panels to the desired format as required. Cutter feed width/height: 16.7 in / 0.6 in. Available as Vario-Speed (VS) version: drive concept optimizes the working speed depending on the shred load.

Dimensions (W x D x H): 27 x 19 x 37 in  
Weight Model S: 388 lbs  
Weight Model VS: 408 lbs



Model	Fill material (in)	Shredding capacity	Cardboard	Speed	Ref. no.
PacMaster S	0.16 x 4.3	175-250 ft <sup>3</sup> /hr	2-3 layers	35.4 ft/m	347904
PacMaster VS	0.16 x 4.3	250-375 ft <sup>3</sup> /hr	3 layers	17.7 - 57.1 ft/m	347974

# Shredders

## intimus 14.95

Industrial shredder with heavy-duty conveyor belt. Shredding capacity: up to 140 sheets. Clear and intuitive control panel. Auto Start - Stop - Restart. Automatic roll-back control in case of paper overload. Wide 17.3 in input tray for convenient, fast and safe loading. Destroys CDs, creased paper and credit cards in a single go. Large removable container located below the cutting mechanism. Full bin indicator with auto stop. Reduced device width (31.5 in) to fit through most standard doors. Low noise level (68 db). Casters for convenient manoeuvring. Left-opening version (optional). Shredding speed: 11-11.8 in/sec. Cutting blade warranty: 3 years. 3-Phase machine.

**Model intimus 14.95 is optional available with automatic oiler.**

Dimensions (W x D x H): 31 x 66 x 65 in  
Weight: 959 lbs



Model	Cutting size (in)	Cutting type	No. of sheets (A4)		Security level	Also shreds	Bin volume	Motor power (hp)	Ref. no.
			70 g/m <sup>2</sup>	80 g/m <sup>2</sup>	DIN 66399 (ISO/IEC 21964)				
intimus 14.95	0.23 x 2	Particles	140	120	P-3/O-2/T-3/E-2		53 gal	5.3	698924
intimus 14.95	0.15 x 1.6	Particles	110	95	P-4/F-1/O-3/T-4/E-3		53 gal	5.3	698934

## intimus 14.87

Industrial high-capacity shredder with baling press. The shredded material is compacted to reduce its volume by up to 70%. Heavy-duty conveyor belt. Clear and intuitive control panel. Auto Start - Stop - Restart. Automatic roll-back control in case of paper overload. Wide 17.3 in input tray for convenient, fast and safe loading. Destroys CDs, creased paper and credit cards in a single go. Shreds and compacts the shredded material into bundles simultaneously. Push button control for bundle extraction. The compaction process starts automatically. 'Bundle / bale complete' indicator with cutting process interruption. Double strapping to guarantee bundle stability. Reduced device width (31.5 in) to fit through most standard doors. Low noise level (63 db). Casters for convenient manoeuvring. Possibility to feed the compactor directly/manually. Shredding speed: 11.8 - 9.3 in/sec. Cutting blade warranty: 3 years. 3-Phase machine.

**Model intimus 14.87 is optional available with automatic oiler.**

Dimensions (W x D x H): 31 x 106/129 x 65 in  
Weight: 2127 lbs



Model	Cutting size (in)	Cutting type	No. of sheets (A4)		Security level	Also shreds	Bale weight (lbs)	Motor power (hp)	Ref. no.
			70 g/m <sup>2</sup>	80 g/m <sup>2</sup>	DIN 66399 (ISO/IEC 21964)				
intimus 14.87	0.23 x 2	Particles	140	120	P-3/O-2/T-3/E-2		130 ~ 175	5.3	699924
intimus 14.87	0.15 x 1.6	Particles	110	95	P-4/F-1/O-3/T-3/E-3		130 ~ 175	5.3	699934

## intimus 16.50 SmartShred

Industrial shredder with heavy-duty conveyor belt. Shredding capacity: up to 520 sheets. Clear and intuitive touchscreen. Auto Start - Stop - Restart. Automatic roll-back control in case of paper overload. Wide 19.7 in input tray for convenient, fast and safe loading. Destroys A-Z folders (P2), CDs, creased paper and credit cards in a single go. Comes standard with an automatic smart oiler. Large removable container located below the cutting mechanism. Full bin indicator with auto stop. Low noise level (61 db). Shredding speed: 9.4 in/sec. Cutting blade warranty: 3 years. 3-Phase machine.

Dimensions (W x D x H): 47 x 76 x 61 in  
Weight: 1600 lbs



Model	Cutting size (in)	Cutting type	No. of sheets (A4)		Security level	Also shreds	Bin volume	Motor power (hp)	Ref. no.
			70 g/m <sup>2</sup>	180 g/m <sup>2</sup>	DIN 66399 (ISO/IEC 21964)				
intimus 16.50	0.39 x 2.76	Particles	520	450	P-2/O-2/T-2/E-2		119 gal	10	655144
intimus 16.50	0.23 x 2	Particles	330	290	P-3/O-2/T-3/E-2		119 gal	10	655124

## intimus 16.86 SmartShred

Industrial high-capacity shredder with baling press. The shredded material is compacted to reduce its volume by up to 70%. Heavy-duty conveyor belt. Clear and intuitive touchscreen. Auto Start - Stop - Restart. Automatic roll-back control in case of paper overload. Wide 17.3 in input tray for convenient, fast and safe loading. Destroys A-Z folders (P2), CDs, creased paper and credit cards in a single go. Comes standard with an automatic smart oiler. Shreds and compacts the shredded material into bundles simultaneously. The compaction process starts automatically. 'Bundle / bale complete' indicator with cutting process interruption. Double strapping to guarantee bundle stability. Low noise level (61 db). Possibility to feed the compactor directly/manually. Shredding speed: 9.45 in/sec. Cutting blade warranty: 3 years. 3-Phase machine.

Dimensions (W x D x H): 47 x 111/135 x 59 in  
Weight: 2769 lbs



Model	Cutting size (in)	Cutting type	No. of sheets (A4)		Security level	Also shreds	Bale weight (lbs)	Motor power (hp)	Ref. no.
			70 g/m <sup>2</sup>	80 g/m <sup>2</sup>	DIN 66399 (ISO/IEC 21964)				
intimus 16.86	0.39 x 2.76	Particles	520	450	P-2/O-2/T-2/E-2		130 ~ 175	10	656144
intimus 16.86	0.23 x 2	Particles	330	290	P-3/O-2/T-3/E-2		130 ~ 175	10	656124

**CHECK OUT OUR NEW MODEL 16.99 INDUSTRIAL SHREDDER WITH INFEEED CONVEYOR ON THE BACK COVER**



# IT Security



Packed with performance and convenience features for ease-of-use and long trouble-free service life

## intimus 240 Crusher / intimus 360 Destroyer

Whether you need to destroy conventional hard drives (HDDs) or solid state drives (SSDs), intimus has the solution. The intimus 240 crusher bends, breaks and mangles HDDs including cases, platters and other internal components. The intimus 360 NSA listed destroyer easily destroys SSD drives, USB Thumb Drives, controller boards and other flash media. Both are compact, quiet and simple to operate.

*intimus 240 Crusher: Dimensions (WxDxH): 14x7x17 in Weight: 73 lbs*

*intimus 360 Destroyer: Dimensions (WxDxH): 7.5x19x15 in Weight: 79 lbs*



Model	Security level DIN 66399	Destruction Time	Power consumption	Ref. no.
intimus 240 Crusher	H-3	1440 hard drives (6.4 cm)/hour 240 hard drives (8.9 cm)/hour	Standby mode: 90 W During crushing: 1920 W	348104
intimus 360 Destroyer	H-3/E-1*	1800 hard drives (6.4 cm)/hour 360 hard drives (8.9 cm)/hour	Standby mode: 90 W During crushing: 1200 W	348704

\* SSD-HDD only

## intimus FlashEx

Destroy SSD/Flash media including SSD drives, smartphones, mini-tablets and USB sticks down to particles of only 4mmx15mm (DIN 66399 Security Levels O-3 / T-4 / E-3). The FlashEx is compact, quiet and operates on single phase 120V / 20A power. Destroys up to 100 mobile phones or 500 USB sticks per hour.

*Dimensions (WxDxH): 23x24x39 in*

*Weight: 256 lbs*



Model	Cutting size (in)	Cutting type	Security level DIN 66399 (ISO/IEC 21964)	Also shreds	Bin volume	Motor power (hp)	Ref. no.
intimus FlashEx	0.16 x 0.6	Particles	O-3/T-4/E-3		7 gal	2.5	176104



## intimus HDD Gladiator

The powerful, fast and reliable solution for destroying hard drives and optical media. Specially hardened cutting blades rip hard drives – including chassis and platters – to small mangled shreds that can't be reconstructed and meet DIN Security Level H-3.

*Dimensions (W x D x H): 41 x 33 x 66 in*

*Weight: 1190 lbs*



Model	Actual output	Security level DIN 66399 (ISO/IEC 21964)	Also shreds	Bin volume	Motor power (hp)	Ref. no.
intimus HDD Gladiator	Up to 500	O-2/T-2/H-3/E-2		32 gal	4.7	555704



**CHECK OUT OUR NEW HDD & SSD GRANULATOR SHREDDERS ON THE BACK COVER**



### intimus 8000S Degausser

When degaussing, the storage media are flooded with a very strong magnetic field that far exceeds their own magnetic force, the coercivity of the hard disk. The short and strong pulse erases the data on the hard disk irrevocably. Degaussing is characterised above all by the simple operation and minimal space requirements, which also allows for its use in an office environment. NATO-listed. Clean and quiet solution for sanitising magnetic media. Single pass pulse technology. Fast sliding feed solution for destroying hard drives individually or in batches. Internal verification of magnetic field. Control panel. Protected against external magnetic influences. Optional Auditor pro generates a certificate of erasure and destruction.

Dimensions (W x D x H): 17 x 13 x 6 in

Weight: 34 lbs



Model	Power supply	Duty cycle	Magnetic field	Ref. no.
intimus 8000S	100-240 VAC, 50/60 Hz	7 sec	10,000 Gauss, 1 Tesla	349777
<b>Accessories</b>	Auditor-Pro for intimus 8000S Degausser			349988

### intimus 9000 Degausser

When degaussing, the storage media are flooded with a very strong magnetic field that far exceeds their own magnetic force, the coercivity of the hard disk. The short and strong pulse erases the data on the hard disk irrevocably. Degaussing is characterised above all by the simple operation and minimal space requirements, which also allows for its use in an office environment. NATO-listed. Clean and quiet solution for sanitising magnetic media. Single pass pulse technology. Fast sliding feed solution for destroying hard drives individually or in batches. Internal verification of magnetic field. Control panel. Protected against external magnetic influences. Optional Auditor pro generates a certificate of erasure and destruction.

Dimensions (W x D x H): 23 x 13 x 19 in

Weight: 55 lbs



Model	Power supply	Duty cycle	Magnetic field	Ref. no.
intimus 9000 Degausser	100-240 VAC, 50/60 Hz	6 sec	10,000 Gauss, 1 Tesla	349204
<b>Accessories</b>	Auditor-Pro for intimus 9000 Degausser			349978

### intimus 20000 S Auditor-Pro Degausser

A short and strong pulse erases the data on the hard disk irrevocably. Simple operation. Floods the media with a very strong magnetic field. NSA (NSA/CSS EPL-912A-E)-approved. Clean and quiet solution for sanitising magnetic media. Single pass pulse technology. Drawer feeding solution. Information display. Internal verification of magnetic field. Generates Auditor-Pro erasure report with images for audit compliance. Creates a secure erasure verification process. Provides proof data is completely eliminated. Integrated handles. CE-certified.

Dimensions (W x D x H): 17 x 10 x 25 in

Weight: 105 lbs



Model	Power supply	Duty cycle	Magnetic field	Ref. no.
intimus 20000 S Auditor-Pro	90-250 VAC, 50-60 Hz	15 sec	20,000 Gauss, 2 Tesla	ON REQUEST

# Folders / Inserters



## Packed with performance and convenience features for ease-of-use and long trouble-free service life

The intimus line of mail processing systems allows businesses, government offices, and small print shops to take control of their mailing needs in a way never before possible. These automated systems reduce labor costs, eliminate errors associated with manual mail processing, and improve the overall efficiency and productivity of the mail room.

Our line of document folder/inserters offer unparalleled flexibility and ease of use. They are perfectly designed to handle a wide variety of documents including invoices, statements,

sales and marketing materials, and much more. With intimus document folder/inserters, you'll never have to worry about how to get in-house mailing jobs completed and best of all you won't waste valuable time collating, folding and stuffing mail by hand ever again.

From local mom and pop shops to mid-size companies to global conglomerates, intimus has a folder/ inserter system to streamline any in-house mailing process while providing a fast return on investment.

### TSI-2.5 S Mail Processor




The intimus TSI-2.5S folder/inserters are affordable, entry level, compact mail processing systems. They allow small to mid-sized companies to realize the productivity and quality benefits gained from automated mail handling and substantial, repeatable cost savings versus outsourcing.

Includes a 5 in color touchscreen for fast, intuitive operation. Optional Tri-Fold Kit produces even C-fold documents ideal for marketing materials. Custom matched stand available.

*Dimensions (W x D x H): 17 x 26 x 22 in*

*Weight: 81 lbs*



Model	Envelope Processing (hr)	Monthly Duty Cycles (pieces)	Fold Types	Feeding Capacity (sheets)	Envelope Feeding Capacity (envelopes)	Folding Capacity (sheets)	Stored Program Capacity (jobs)	Ref. no.
intimus TSI-2.5 S	1,350	4,500	   C-fold Half Double	200	100	5	15	A0111771





## TSI-4 S Series Mail Processor

TSI-4 S is an intelligent, easy-to-use desktop mail processing system for medium to high volume applications. Four configurations with 1, 1.5, 2, or 2.5 feed stations are available. Quiet operation and small size make the TSI-4S suitable for use in any office environment. Load'n'Go® auto settings and FlexFeed® multi-format feeder feature included. Large 7 in intuitive color touchscreen. FlexFeed® document feeder accommodates a variety of paper sizes up to 14 in. Custom matched stand available.

Dimensions (W x D x H): 17 x 48 x 21 in

Weight: 165 lbs



Model	Envelope Processing (hr)	Monthly Duty Cycles (pieces)	Fold Types	Feeding Capacity (sheets)	Envelope Feeding Capacity (envelopes)	Folding Capacity (sheets)	Stored Program Capacity (jobs)
intimus TSI-4S	2,000	25,000	    C-fold Half Double Z-fold	325 Per feeder	150	5	15





## TSI-5 Series Mail Processor

The versatile yet quiet operation of the TSI-5 is the ideal solution for high volume, in-house mail processing. Multiple sheet feed, envelope stacker and exit tray options allow you to customize a system to your specific needs. Load'n'Go® auto settings and FlexFeed® multi-format feeder feature included. CIS scanning technology can read a variety of barcodes and other coding. Custom matching stand available.

Dimensions (W x D x H): 29 x 50 x 20 in

Weight: 175 lbs



Model	Envelope Processing (hr)	Monthly Duty Cycles (pieces)	Fold Types	Feeding Capacity (sheets)	Envelope Feeding Capacity (envelopes)	Folding Capacity (sheets)	Stored Program Capacity (jobs)
intimus TSI-5	3,800	40,000	    C-fold Half Double Z-fold	725	325	8 Tri-fold 10 Half-fold	50

# New From intimus



## SSD Granulator

Destroy a wide variety of SSD Devices including SSD Drives, USB/Flash Drives, smartphones, tablets and more.

- Select from 3 particle sizing screens
- Waste particles as small as 3mm x 3mm
- Destroy up to 632 SSDs per hour.
- Large 23 gallon wheeled collection bin

Scan Code for Details.



## SSD - HDD Granulator

Dual feed openings and cutting cutting chambers to accommodate both SSDs and HDDs.

- Select from 3 particle sizing screens
- SSD Waste as small as 3mm x 3mm
- HDD Waste as small as 12mm x 12mm
- Large 34 gallon wheeled collection bin

Scan Code for Details.



## 16.99 Industrial Shredder w/ Conveyor

A high capacity industrial shredder with powered incline conveyor feeder.

- Shred sizes as small as 3.8mm x 40mm
- Throughput capacities to 1200 lbs./hour
- Enormous 118 gallon waste bin
- Can be equipped with horizontal baler
- Conveyor can mount on left or right side

Scan Code for Details.



Proudly Distributed by:

Intimus International  
251 Wedcor Avenue, Wabash, IN 46992  
1 800.775.2122 ● www.intimus-direct.com

