

End-of-Life Document and Data Destruction

Enterprise, Data Center and Small Office Solutions



The Shredder Company

SPECIALTY & MULTIPURPOSE SHREDDERS



intimus PacMaster

Turn waste cardboard into durable protective packaging material. The PacMaster's unique shredder head partially cuts or perforates cardboard creating a stretchable netting to wrap fragile items or line boxes to protect contents from damage. In addition to cost savings, the PacMaster greatly reduces landfill waste. Available as Vario-Speed (VS) version that optimizes the working speed of the unit based on the load.



Model	Fill Material (mm)	Shredding Capacity	Cardboard	Speed
intimus PacMaster S	4 x 110	175 - 250 ft ³ /hr	2-3 layers	35.4 ft/min
intimus PacMaster VS	4 x 110	250 - 375 ft ³ /hr	3 layers	17.7 - 57.1 ft/min



intimus FlashEx - Solid State Drive Shredder

Destroy SSD/Flash media including Solid State Drives, smartphones, mini-tablets and USB sticks down to particles of only 4 mm x 15 mm (Levels O-3 / T-4 / E-3) in office environments. FlashEx's small footprint and attractive styling fits in any office and its quiet operation won't disturb other workers. It operates on single phase 120V/20A power. Destroys up to 100 mobile phones or 500 USB sticks/hour. *See pages 4 - 5 for more multimedia destruction products.*



Model	Particle Size (mm)	Acceptable Media	Security Level	Bin Volume (gallons)	Motor (hp)
intimus FlashEx	4 x 15	SSD Drives, Computer Tapes, USB Sticks Compact Flash, Optical Media, Mini Tablets	O-3/T-4/E-3	7	2.5





intimus SSD Granulator - High Volume SSD Destruction - User Selectable Particle Size

The intimus SSD Granulator is equipped with interchangeable sizing screens that allow users to select the level of destruction based on the sensitivity of the items being destroyed. For less sensitive information it can be run with no screen to create particles of about 5.8mm wide by random lengths. For more sensitive data the SSD Granulator can be run with one of the two included sizing screens to create particles as small as 3mm x 3mm which meets the particle size guidelines set forth by the NSA.

See pages 4 - 5 for more multimedia destruction products.

Model	Particle Size Dependent on Screen	Max Security Level	Bin Volume (gallons)	Motor (hp)
SSD Granulator	5.8mm strips, 5mm ² , or 3mm ²	E-5/O-6 F-4/T-7	34	3

Hourly Throughput Range
dependent on screen size


SSDs	USB Sticks
56 - 632	140 - 2320



intimus Light Industrial Shredders

With throughputs to over 1,200 lbs./hour, our industrial shredders easily handle the most demanding destruction requirements. We can also outfit most industrial units with an integrated baling press. Our H200 (shown here) is an entry level, light industrial shredder capable of shredding up to 80 sheets per pass. A unique hopper feed allows it to accept balled and crumpled paper and is large enough to accept a full waste basket. A rotating paddle helps to force feed items into the cutting head for fast, efficient shredding. A bypass sheet feeder at the front of the unit also allows for flat sheet feeding of individual pages or continuous forms. See page 8 - 9 for our full line of light industrial shredders.


Model	Particle Size (mm)	Sheets per Pass	Security Level	Also Shreds	Bin Volume (gallons)	Motor (hp)
intimus H200 CP4 AO	3.8 x 40	80	P-4/F-1/O-3/T-4		53	3
intimus H200 CP4 VS	3.8 x 40	70	P-4/F-1/O-3/T-4		53	3




Solid State Drive Destruction

intimus OmniShred Small Multimedia & Paper Shredders

For low volume destruction of SSDs and Optical Media the OmniShred is a great choice. It destroys CDs/DVDs, USB Thumb Drives, Credit Cards/ID Badges and more. It is also an impressive high volume paper shredder with a 33 sheet feed capacity and particles of just 3.6 x 43mm. Dual destruction capability is more convenient, requires less space, and is cheaper than two dedicated machines. Multimedia items are fed via a top sliding door with view through window while paper is fed into a 12" wide feed slot in front of the unit.



Model	Particle Size (mm)	Security Level	Bin Volume (gallons)	Motor (hp)
intimus OmniShred	3.6 x 43	P-4/O-3/T-4/E-2	30	2.5



intimus FlashEx - Solid State Drive Shredder

For higher volume destruction of SSDs in an office environment, nothing compares to the FlashEx. Destroy SSD/Flash media including SSD drives, smartphones, mini-tablets and USB sticks down to particles of only 4mmx15mm (DIN 66399 Levels O-3 / T-4 / E-3). FlashEx's small footprint and attractive styling fits in any office and its quiet operation won't disturb other workers. It operates on single phase 120V / 20A power. Destroys up to 100 mobile phones or 500 USB sticks/hour.



Model	Particle Size (mm)	Acceptable Media	Security Level	Bin Volume (gallons)	Motor (hp)
intimus FlashEx	4 x 15	SSD Drives, Computer Tapes, USB Sticks Compact Flash, Optical Media, Mini Tablets	O-3/T-4/E-3	7	2.5



High Volume HDD, SSD and Combo Shredders & Granulators

intimus Gladiator HDD / SSD Shredder

The powerful, fast and reliable solution for destroying magnetic hard drives and a variety of other multimedia storage devices. Specially hardened cutting blades rip hard drives – including chassis and platters – to small mangled shreds that can't be reconstructed and meet DIN Security Level H-3.

Dual cutting chambers and clearly labeled feed slots allow the Gladiator to effectively destroy both traditional HDDs as well as SSDs.

Model	Particle Size (mm)	Actual Output	Security Level	Also Shreds	Bin Volume (gallons)	Motor (hp)
Gladiator	HDD 30mm Strip SSD 12mm ² Particle	Up to 500	O-2/T-2 H-3/E-2	Floppy Disks, Optical Discs, Computer Tapes, USB Sticks, Credit Cards, ID Badges	32	4.7



intimus HDD Granulator

The intimus HDD Granulator / Hard Drive Shredder employs a hybrid destruction method that combines shredding and disintegration. Users determine the final waste particle size by selecting the sizing screen from six options. Larger screens are capable of high throughputs – up to 80 drives per hour. Smaller particles that meet DIN Level H-5 are achievable with the 6mm screen. However, as screen sizes get smaller, hourly throughput rates become lower.

The HDD Granulator hard drive shredder destroys the entire hard drive including the drive chassis and platters. It can also destroy hot swap drives without the need to remove trays or caddies.

Model	Particle Size Dependent on Screen	Maximum Security Level	Bin Volume (gallons)	Motor (hp)
HDD Granulator	As small as 6mm ²	H-5	63	7.4



intimus HDD / SSD Granulator

This versatile granulator has separate feed slots and cutting chambers for SSD or HDD devices. Interchangeable waste sizing screens control the level of destruction.

Ideal for Solid State Media such as SSDs, USBs, memory cards, smartphones/tablets (no batteries)...Magnetic Media such as HDDs, floppy disks, computer backup tapes, and credit cards...Optical Media including Compact Discs (CDs), DVDs, and Blu-Ray Discs.

Model	Particle Size Dependent on Screen	Maximum Security Level	Bin Volume (gallons)	Motor (hp)
HDD/SSD Granulator	HDDs: 31mm strips, 14mm ² , 12mm ² SSDs: 3.8mm strips, 5mm ² , 3 mm ²	H-5/E-5/O-3 F-4/T-6/	34	7.4



Hourly Throughput Range

dependent on screen size

HDDs	SSDs	USB Sticks
38 - 212	33 - 277	90 - 1236



Dual feed slots



Particle sizing screen



Screen change cart

Hard Drive Crushers and Degaussers

In addition to multimedia shredders / granulators we also offer degaussers (commercial or NSA Level) and HDD and SSD Crushers. For details call our customer support team at 1-800-775-2122.



NSA EVALUATED AND LISTED HIGH SECURITY PAPER SHREDDERS




Intimus 45/60 CP7

Intimus 120 CP7

Intimus 175 CP7

intimus High Security Paper Shredders have been **evaluated by the NSA and are listed on the NSA Evaluated Products List (NSA/CSS 02-01)**. They produce a particle size of only 0.8mm x 4.5mm which is 25% smaller than the NSA high security shredder requirement of 1mm x 5mm. This high security shredder particle size also meets the requirements for Security DIN Level P-7. All intimus NSA Listed Paper Shredders are used to destroy all classified documents in government and military facilities around the globe.



Dynamic Load Sensor ensures proper feed rate



Intelligent Controls with illuminated status indicator



Mounted on casters for easy relocation anywhere in a facility



Actual 0.8 x 4.5 mm particles. 25% smaller than NSA requirements.

Model	Particle Size (mm)	Sheets Per Pass	NSA 1-Hour Durability Rating	Security Level	Also Shreds	Bin Volume (gallons)	Motor (hp)
Intimus 45 CP7	0.8 x 4.5	up to 6	9 reams / feeding 4 sheets	P-7	Paper Only	12	1
Intimus 45 CP7 AO	0.8 x 4.5	up to 6	9 reams / feeding 4 sheets	P-7	Paper Only	12	1
Intimus 60 CP7	0.8 x 4.5	up to 6	9 reams / feeding 4 sheets	P-7	Paper Only	16	1
Intimus 60 CP7 AO	0.8 x 4.5	up to 6	9 reams / feeding 4 sheets	P-7	Paper Only	16	1
Intimus 120 CP7	0.8 x 4.5	up to 8	17 reams / feeding 6 sheets	P-7	Paper Only	32	1.9
Intimus 120 CP7 AO	0.8 x 4.5	up to 8	17 reams / feeding 6 sheets	P-7	Paper Only	32	1.9
Intimus 175 CP7	0.8 x 4.5	up to 11	29 reams / feeding 11 sheets	P-7	Paper Only	46	2.5
Intimus 175 CP7 AO	0.8 x 4.5	up to 11	29 reams / feeding 11 sheets	P-7	Paper Only	46	2.5



intimus Automatic Oilers

Proper cutting head lubrication is key to maintaining optimum shredder performance. Models with the AO designation include a factory installed automatic oiler that utilizes a one gallon jug. You'll never have to refill an oil reservoir; just remove the empty jug and replace it with a new one.

OFFICE PAPER SHREDDERS - CROSS CUT - LEVEL P-4 / P-5



Intimus 32 CC3

Intimus 45/60 CP4/CP5

Intimus 120 CP4/CP5

Intimus 175 CP4/CP5


For the vast majority of document destruction needs, including many government documents, a Cross-Cut shredder provides the necessary level of security. In most cases the shredding happens in the office or department where the documents are generated.

That's why we proudly offer a full selection of shredders designed for office use that will work quickly and quietly, without taking up too much space. Whether the office/department has just a few employees or up to dozens of people, we've got a shredder that will handle the job.

With waste particles that measure around 1/8" x 1/4" they render documents unreadable and satisfy most commercial destruction requirements including HIPAA.



Example of particles created by intimus CP4 and CC3 shredder



Example of particles created by intimus CP5 shredder models

Model	Particle Size (mm)	Sheets Per Pass	Security Level	Also Shreds	Bin Volume (gallons)	Motor (hp)
Intimus 32 CC3	4 x 28	up to 12	P-4		8.5	.75
Intimus 45 CP4	3.8 x 30	up to 15	P-4		12	.75
Intimus 45 CP5	1.9 x 15	up to 11	P-5		12	.75
Intimus 60 CP4	3.8 x 30	up to 15	P-4		16	.75
Intimus 60 CP5	1.9 x 15	up to 11	P-5		16	.75
Intimus 100 CP4	3.8 x 36	up to 25	P-4		26	1.9
Intimus 120 CP4	3.8 x 36	up to 25	P-4		32	1.9
Intimus 120 CP5	1.9 x 15	up to 17	P-5		32	1.9
Intimus 175 CP4	4 x 40	up to 50	P-4		46	2.5
Intimus 175 CP5	1.9 x 15	up to 30	P-5		46	2.5

All 120 and 175 Models available with built-in automatic oiler. Add AO to model number.

Destroy more than just paper

All units listed on this page have can also be used to destroy non-paper items like credit cards, ID Badges and Optical Media.



HIGH VOLUME, INDUSTRIAL & SHREDDER BALER COMBOS



intimus 200 CP5

This heavy-duty, high-volume shredder is equally suited to industrial or large office use. Automatic ON/OFF of the device via a photoelectric sensor. This rugged durable machine easily handles staples, paper clips and credit cards/ID badges. Unique metal cabinet design stands up to the toughest environments. Mounted on casters for easy relocation. Fold down wire tray provides a stable surface to stage documents during feeding.



Model	Particle Size (mm)	Feed Opening	Sheets per pass	Security Level	Also Shreds	Bin Volume (gallons)	Motor (hp)
Intimus 200 CP5 AO	1.9 x 15	17 in.	38	P-5/F-2		53	3

intimus H200 CP4 / VS

Entry level, high-volume industrial shredder capable of shredding up to 80 sheets per pass. The unique hopper feed design allows the H200 to accept balled and crumpled paper and is large enough to accept a standard office waste basket full of documents. A rotating paddle helps to force feed items into the cutting head for fast, efficient shredding. A bypass sheet feeder at the front of the unit also allows for flat sheet feeding of individual pages or continuous forms.



Paper waste is rendered to a final particle size of 3.8 x 40mm (DIN Level P-4).

The H200 High-Volume Industrial Shredder comes furnished with a built-in automatic oiler to keep the cutting head properly lubricated for optimal performance.

VS - Vario-Speed Models optimize the working speed based on the load.

Model	Particle Size (mm)	Sheets per Pass	Security Level	Also Shreds	Bin Volume (gallons)	Motor (hp)
intimus H200 CP4 AO	3.8 x 40	80	P-4/F-1/O-3/T-4		53	3
intimus H200 CP4 VS	3.8 x 40	70	P-4/F-1/O-3/T-4		53	3.9

intimus 14.95 Shredder and 14.87 Shredder Baler

Destroy up to **130** sheets of paper per pass – up to 620 lbs. per hour.

- Large staging and sortation table - 17.5” wide input feed
- Automatic infeed conveyor and a paddle feed system
- Narrow (31.5”) width fits through most standard doorways
- Large 53 gallon collection bin minimizes bag changes

Added Features of 14.87 Shredder Baler

- Baling press reduces waste volume by up to 70%
- Bundle/Bale complete indicator with shredding interruption
- Pushbutton control for bundle extraction
- Double strapping of bales to ensure stability/ease of transport



Model	Particle Size (mm)	Sheets per Pass	Security Level	Also Shreds	Bin Volume (gallons)	Bale Weight (lbs.)	Motor (hp)
intimus 14.95	6 x 50	140	P-3/O-3/T-3/E-2		53	NA	5.3
intimus 14.95	3.8 x 40	110	P-4/O-3/T-4/E-3		53	NA	5.3
14.87 Shredder Baler							
intimus 14.87	6 x 50	140	P-3/O-3/T-3/E-2		NA	135 -175	5.3
intimus 14.87	3.8 x 40	110	P-4/O-3/T-4/E-3		NA	135 -175	5.3

intimus 16.50 SmartShred and 16.86 Shredder Baler

Destroy up to **520** sheets of paper per pass – up to 620 lbs. per hour.

- Large staging and sortation table - 19.7” wide input feed
- Automatic infeed conveyor and a paddle feed system
- Massive 110 gallon collection bin minimizes bag changes

Added Features of 16.86 Shredder Baler

- Baling press reduces waste volume by up to 70%
- Bundle/Bale complete indicator with shredding interruption
- Pushbutton control for bundle extraction
- Double strapping of bales to ensure stability/ease of transport
- Bypass feed to place bulky items (boxes) directly into compactor



Model	Particle Size (mm)	Sheets per Pass	Security Level	Also Shreds	Bin Volume (gallons)	Bale Weight (lbs.)	Motor (hp)
intimus 16.50	10 x70	520	P-2/O-2/T-2/E-2		119	NA	10
intimus 16.50	6 x 50	330	P-3/O-2/T-3/E-2		119	NA	10
16.86 Shredder Baler							
intimus 16.86	10 x70	520	P-2/O-2/T-2/E-2		NA	130 - 175	10
intimus 16.86	6 x 50	330	P-3/O-2/T-3/E2		NA	130 - 175	10

intimus 16.99 Series

The intimus 16.99 is much like the 16.50 but offers the added benefit of powered incline conveyor feeding. Full bins can be emptied onto the conveyor without the need for sorting or feeding items individually.

The 16.99 can be furnished in 3 configurations:

1. Internal Waste Bin
2. Integrated Baling Press
3. With a discharge conveyor for collecting waste in large external containers

Visit intimus-direct.com for more information.





Packed with performance and convenience features for ease-of-use and long, trouble-free service life

The intimus line of mail processing systems allows businesses, government offices, and small print shops to take control of their mailing needs in a way never before possible. These automated systems reduce labor costs, eliminate errors associated with manual mail processing, and improve the overall efficiency and productivity of the mail room.

Our line of document folder/inserters offer unparalleled flexibility and ease of use. They are perfectly designed to handle a wide variety of documents including invoices, statements, sales and marketing materials, and much more. With intimus

document folder/inserters, you'll never have to worry about how to get in-house mailing jobs completed and best of all, you won't waste valuable time collating, folding and stuffing mail by hand ever again.

From local mom and pop shops to mid-size companies to global conglomerates, intimus has a folder/ inserter system to streamline any in-house mailing process while providing a fast return on investment.

TSI-2.5 S Mail Processor

The intimus TSI-2.5 S folder / inserters are affordable, entry level, compact mail processing systems. They allow small to mid-sized companies to realize the productivity and quality benefits gained from automated mail handling and substantial, repeatable cost savings versus outsourcing.

Includes a 5" color touchscreen for fast, intuitive operation. Optional Tri-Fold Kit produces even C-fold documents ideal for marketing materials. Custom matched stand available.

Dimensions (W x D x H): 17 x 26 x 22 in
Weight: 81 lbs



Model	Envelope Processing (hr)	Monthly Duty Cycle (pieces)	Fold Types	Feeding Capacity (sheets)	Envelope Feeding Capacity (envelopes)	Folding Capacity (sheets)	Stored Program Capacity (jobs)
intimus TSI-2.5 S	1,350	5000	C-fold Half Double	200	100	5	15



TSI-4S Series Mail Processor

TSI-4S is an intelligent, easy-to-use desktop mail processing system for medium- to high-volume applications. Four configurations with 1, 1.5, 2, or 2.5 feed stations are available. Quiet operation and small size make the TSI-4S suitable for use in any office environment. Load'n'Go® auto settings and FlexFeed® multi-format feeder feature included. Large 7" intuitive color touchscreen. FlexFeed® document feeder accommodates a variety of paper sizes up to 14". Custom matched stand available.

Dimensions (W x D x H): 17 x 48 x 21 in
Weight: 165 lbs



Model	Envelope Processing (hr)	Monthly Duty Cycle (pieces)	Fold Types				Feeding Capacity (sheets)	Envelope Feeding Capacity (envelopes)	Folding Capacity (sheets)	Stored Program Capacity (jobs)
intimus TSI-4S	2,000	25,000	C-fold	Half	Double	Z-fold	325 per feeder	150	5	15



TSI-5S Series Mail Processor

The versatile yet quiet operation of the TSI-5S is the ideal solution for high volume, in-house mail processing. Multiple sheet feed, envelope stacker and exit tray options allow you to customize a system to your specific needs. Load'n'Go® auto settings and FlexFeed® multi-format feeder feature included. CIS scanning technology can read a variety of barcodes and other coding. Custom matching stand available.

Dimensions (W x D x H): 29 x 50 x 20 in
Weight: 175 lbs




Model	Envelope Processing (hr)	Monthly Duty Cycle (pieces)	Fold Types				Feeding Capacity (sheets)	Envelope Feeding Capacity (envelopes)	Folding Capacity (sheets)	Stored Program Capacity (jobs)
intimus TSI-5S	3,800	40,000	C-fold	Half	Double	Z-fold	725	325	8 Tri-fold 10 Half-fold	50



View Our Product Videos

If a picture is worth a thousand words, then our video library is priceless. We've worked hard to make our product overview videos the best in the industry. They are full of valuable information and visual demonstrations of how our equipment works. Please scan the QR code to visit our YouTube Channel to see the videos below and many more.



Connect with us on Social Media



We regularly post news, product information and thought provoking opinions to the major social media platforms. Scan the QR code to visit our Social Media page to get info on all of our accounts.



Proudly Distributed by:

Intimus International
251 Wedcor Avenue, Wabash, IN 46992
1 800.775.2122 • www.intimus-direct.com

